

**CODINGTON COUNTY HIGHWAY DEPARTMENT  
DRIVEWAY APPLICATION AND CONSTRUCTION PERMIT**

Email to: [cchighway@codington.org](mailto:cchighway@codington.org)

Fax: 605-882-6271

Application made by \_\_\_\_\_ for an entrance to be located off a Codington County road.

Location: On \_\_\_\_\_ Avenue/Street; Nearest Intersection: \_\_\_\_\_ Avenue/Street

Distance from nearest intersection: \_\_\_\_\_ feet      **N      S      E      W**

Township Name: \_\_\_\_\_ Section Number: \_\_\_\_\_

Type of Entrance:      **Commercial**      **Residential**      **Farm**      **Other** \_\_\_\_\_

Width of Driveway Top: \_\_\_\_\_

Approximate date of construction: \_\_\_\_\_

NAME: \_\_\_\_\_ ADDRESS: \_\_\_\_\_ CITY: \_\_\_\_\_

Mobile: \_\_\_\_\_ Landline: \_\_\_\_\_ Email: \_\_\_\_\_

**Entrance Specifications**

- Minimum of 20 feet driveway top
- 4:1 end slopes.
- Minimum of 18" (new) steel culvert - no plastic or concrete
- Only clean fill dirt - no rocks, concrete or wood
- Minimum of 4" of gravel for the surface - no quartzite or rock in ROW
- Minimum of 0.2" of drop per 40'
- No decorative rock or landscaping on the end slopes
- End slopes must be seeded. SD DOT Type C Seed Mixture Entrances
- Shall be installed according to SD CL 31-24-3

**ENTRANCE TO BE BUILT AS DIRECTED BY CODINGTON COUNTY HIGHWAY DEPARTMENT**

CULVERT NEEDED: YES \_\_\_ NO \_\_\_      DIAMETER: \_\_\_\_\_ LENGTH: \_\_\_\_\_

**COMMENTS:** \_\_\_\_\_

ON SITE SURVEY BY: \_\_\_\_\_ DATE: \_\_\_\_\_

APPROVED BY: \_\_\_\_\_ DATE: \_\_\_\_\_

HIGHWAY DEPARTMENT USE ONLY: COMMENTS: _____ _____ _____
Final Approval Upon Completion (Codington County Highway Superintendent)